



# Federal Communications Commission

Approved by OMB  
3060-0999  
See instructions for  
public burden estimate.

## Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2014 - June 30, 2015

Filing Confirmation Number: 0006868026

Filing Deadline: July 15, 2015

FRN: 0004321311

Filing Date: 07/08/2015 02:46 PM

### General Report Information

#### Type of Company

Device Manufacturer

#### De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

#### Company Information

Company Name: Motorola Mobility LLC  
Brand Names: Motorola  
PO Box:  
Street Address: 8000 W. Sunrise Blvd.; Suite A  
City: Plantation  
State: FL  
Zip Code: 33322

Contact Name: John Lewczak  
Contact Phone: (954) 590-0254  
Contact Fax: (954) 337-2377  
Contact Email: JohnLewczak@motorola.com

#### Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

#### Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for

hearing aid compatibility with respect to such operation?

Yes

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

### Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address:

<http://www.motorola.com/us/cr-sp/consumers-accessibility-responsibility-hearing-aid-compatibility-in-us.html>

Explain:

### Consumer Outreach

Describe consumer outreach efforts in the past 12 months: A Motorola Mobility staff member is chair of the Accessibility Working Group (AWG) of the Mobile Manufacturers Forum (MMF), and participated in several meetings gathering inputs from various regulatory, industry and disability groups.

Motorola Mobility participated in several meetings with the World Institute on Disability, with a Motorola staff member acting as Vice Chair of the WID Board of Directors.

Motorola Mobility supported the 2015 Access Living Gala.

Motorola Mobility worked with community partners and disability advocates to kick off Chicago's 25th anniversary ADA project.

A Motorola Mobility staff member attended the 2015 HLAA convention, gathering feedback from users with hearing loss and presenting as part of the TIA panel on wireless phone compatibility.

### Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 20

### Report Remarks

You have reported the following handset model summary information.  
Total number of handsets offered: 33

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
GSM	26	93%			2	7%	28
CDMA	15	100%					15
WCDMA	24	92%			2	8%	26
LTE	6	100%					6
Wi-Fi	2	100%					2

## Handset 1: Motorola Droid MAXX XT1080

### Handset Maker

Motorola

### Handset Model Name

Droid MAXX XT1080

### FCC ID

IHDT56PE2

### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz CDMA  
850 MHz WCDMA  
1900 MHz GSM  
1900 MHz CDMA  
1900 MHz WCDMA

### Dates

This handset model was offered from: 07/14 to 12/14

### Ratings

M-Rating: M3

M-Rating Certification Date: 07/03/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 07/03/13

Version of the ANSI C63.19 standard used during the certification process: 2011

### Remarks

## Handset 2: Motorola Droid Turbo XT1254

### Handset Maker

Motorola

### Handset Model Name

Droid Turbo XT1254

### FCC ID

IHDT56PK1

### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz CDMA  
850 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz CDMA  
1900 MHz WCDMA  
1900 MHz LTE

### Dates

This handset model was offered from: 12/14 to 06/15

### Ratings

M-Rating: M4

M-Rating Certification Date: 09/11/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/11/14

Version of the ANSI C63.19 standard used during the certification process: 2011

### Remarks

## Handset 3: Motorola Droid Turbo XT1255

### Handset Maker

Motorola

### Handset Model Name

Droid Turbo XT1255

### FCC ID

IHDT56PK2

### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz LTE  
1900 MHz GSM

1900 MHz WCDMA  
1900 MHz LTE

#### Dates

This handset model was offered from: 10/14 to 06/15

#### Ratings

M-Rating: M4

M-Rating Certification Date: 10/07/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 10/07/14

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---

### Handset 4: Motorola Droid Ultra XT1030

#### Handset Maker

Motorola

#### Handset Model Name

#### FCC ID

Droid Ultra XT1030

IHDT56PE1

#### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz CDMA  
850 MHz WCDMA  
1900 MHz GSM  
1900 MHz CDMA  
1900 MHz WCDMA

#### Dates

This handset model was offered from: 07/14 to 12/14

#### Ratings

M-Rating: M3

M-Rating Certification Date: 07/13/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/13/13

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---

### Handset 5: Motorola Moto E (2nd) XT1505

#### Handset Maker

Motorola

#### Handset Model Name      FCC ID

Moto E (2nd) XT1505      IHDT56QF1

#### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
1900 MHz GSM  
1900 MHz WCDMA

#### Dates

This handset model was offered from: 02/15 to 06/15

#### Ratings

M-Rating: M3

M-Rating Certification Date: 01/12/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/12/15

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---

## Handset 6: Motorola Moto E (2nd) XT1511

### Handset Maker

Motorola

### Handset Model Name

Moto E (2nd) XT1511

### FCC ID

IHDT56QF2

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

### Dates

This handset model was offered from: 03/15 to 06/15

### Ratings

M-Rating: M3

M-Rating Certification Date: 01/28/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/28/15

Version of the ANSI C63.19 standard used during the certification process: 2011

### Remarks

## Handset 7: Motorola Moto E (2nd) XT1526

### Handset Maker

Motorola

### Handset Model Name

Moto E (2nd) XT1526

### FCC ID

IHDT56QC7

### Air Interfaces/Frequency Bands

800 MHz CDMA

850 MHz GSM

850 MHz CDMA

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

### Dates

This handset model was offered from: 02/15 to 06/15

#### Ratings

M-Rating: M3

M-Rating Certification Date: 01/22/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/22/15

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

### Handset 8: Motorola Moto E (2nd) XT1527

#### Handset Maker

Motorola

#### Handset Model Name

#### FCC ID

Moto E (2nd) XT1527

IHDT56QC1

#### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

#### Dates

This handset model was offered from: 02/15 to 06/15

#### Ratings

M-Rating: M3

M-Rating Certification Date: 01/14/15



Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/14/15

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---

### Handset 9: Motorola Moto E (2nd) XT1528

#### Handset Maker

Motorola

#### Handset Model Name      FCC ID

Moto E (2nd) XT1528      IHDT56QC8

#### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz CDMA  
850 MHz WCDMA  
1700 MHz WCDMA  
1900 MHz GSM  
1900 MHz CDMA  
1900 MHz WCDMA

#### Dates

This handset model was offered from: 04/15 to 06/15

#### Ratings

M-Rating: M3

M-Rating Certification Date: 01/27/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/27/15

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---

## Handset 10: Motorola Moto E (3rd) XT1540

### Handset Maker

Motorola

### Handset Model Name

Moto E (3rd) XT1540

### FCC ID

IHDT56QG1

### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2.5 GHz LTE

### Dates

This handset model was offered from: 06/15 to 06/15

### Ratings

M-Rating: M4

M-Rating Certification Date: 05/29/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/29/15

Version of the ANSI C63.19 standard used during the certification process: 2011

### Remarks

## Handset 11: Motorola Moto E XT1019

### Handset Maker

Motorola

### Handset Model Name

Moto E XT1019

### FCC ID

IHDT56PJ4

### Air Interfaces/Frequency Bands

800 MHz CDMA  
850 MHz CDMA  
1900 MHz CDMA  
2.4 GHz Wi-Fi

### Dates

This handset model was offered from: 10/14 to 12/14

### Ratings

M-Rating: M4

M-Rating Certification Date: 06/12/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/12/14

Version of the ANSI C63.19 standard used during the certification process: 2011

### Remarks

---

## Handset 12: Motorola Moto E XT1021

### Handset Maker

Motorola

### Handset Model Name

### FCC ID

Moto E XT1021

IHDT56PJ1

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

### Dates

This handset model was offered from: 07/14 to 06/15

### Ratings

M-Rating: M3

M-Rating Certification Date: 04/10/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/10/14

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---

### Handset 13: Motorola MOTO E XT1023

#### Handset Maker

Motorola

#### Handset Model Name      FCC ID

MOTO E XT1023      IHDT56PJ3

#### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz CDMA  
1700 MHz CDMA  
1900 MHz GSM  
1900 MHz CDMA

#### Dates

This handset model was offered from: 07/14 to 06/15

#### Ratings

M-Rating: M3

M-Rating Certification Date: 04/17/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 04/17/14

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---

## Handset 14: Motorola Moto G (XT1028)

### Handset Maker

Motorola

### Handset Model Name

### FCC ID

Moto G (XT1028)

IHDT56PF3

Moto G (XT1031)

IHDT56PF3

Moto G (XT937C)

IHDT56PF3

### Air Interfaces/Frequency Bands

800 MHz CDMA

850 MHz CDMA

1900 MHz CDMA

### Dates

This handset model was offered from: 07/14 to 12/14

### Ratings

M-Rating: M3

M-Rating Certification Date: 11/15/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 11/15/13

Version of the ANSI C63.19 standard used during the certification process: 2011

### Remarks

## Handset 15: Motorola Moto G (XT1042)

### Handset Maker

Motorola

### Handset Model Name

### FCC ID

Moto G (XT1042)

IHDT56PH2

### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

### Dates

This handset model was offered from: 07/14 to 12/14

### Ratings

M-Rating: M4

M-Rating Certification Date: 06/20/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/20/14

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---

### Handset 16: Motorola Moto G XT1032

#### Handset Maker

Motorola

#### Handset Model Name

#### FCC ID

Moto G XT1032

IHDT56PF1

Moto G XT1033

IHDT56PF1

#### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

#### Dates

This handset model was offered from: 07/14 to 06/15

#### Ratings

M-Rating: M3

M-Rating Certification Date: 09/17/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 09/17/13

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---

## Handset 17: Motorola Moto G XT1040

### Handset Maker

Motorola

### Handset Model Name

Moto G XT1040

### FCC ID

IHDT56PG3

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

### Dates

This handset model was offered from: 07/14 to 06/15

### Ratings

M-Rating: M3

M-Rating Certification Date: 04/24/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/24/14

Version of the ANSI C63.19 standard used during the certification process: 2011

### Remarks

## Handset 18: Motorola Moto G XT1045

### Handset Maker

Motorola

### Handset Model Name

Moto G XT1045

### FCC ID

IHDT56PG1

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

### Dates

This handset model was offered from: 07/14 to 06/15

### Ratings

M-Rating: M3

M-Rating Certification Date: 02/13/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/13/14

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---

### Handset 19: Motorola Moto G XT1063

#### Handset Maker

Motorola

#### Handset Model Name

#### FCC ID

Moto G XT1063

IHDT56QB1

#### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

#### Dates

This handset model was offered from: 07/14 to 06/15

#### Ratings

M-Rating: M3

M-Rating Certification Date: 06/26/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/26/14

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---



## Handset 20: Motorola Moto G XT1064

### Handset Maker

Motorola

### Handset Model Name

Moto G XT1064

### FCC ID

IHDT56QB2

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

### Dates

This handset model was offered from: 07/14 to 06/15

### Ratings

M-Rating: M3

M-Rating Certification Date: 07/16/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 07/16/14

Version of the ANSI C63.19 standard used during the certification process: 2011

### Remarks

## Handset 21: Motorola Moto G XT1008

### Handset Maker

Motorola

### Handset Model Name

Moto G XT1008

MOTO G XT1034

Moto G XT939G

### FCC ID

IHDT56PF2

IHDT56PF2

IHDT56PF2

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

### Dates

This handset model was offered from: 07/14 to 12/14

## Ratings

M-Rating: M3

M-Rating Certification Date: 09/25/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 09/25/13

Version of the ANSI C63.19 standard used during the certification process: 2011

## Remarks

## Handset 22: Motorola Moto X (2nd) XT1093

### Handset Maker

Motorola

### Handset Model Name

### FCC ID

Moto X (2nd) XT1093

IHDT56QA3

### Air Interfaces/Frequency Bands

800 MHz CDMA

850 MHz GSM

850 MHz CDMA

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

## Dates

This handset model was offered from: 10/14 to 06/15

## Ratings

M-Rating: M4

M-Rating Certification Date: 09/09/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 09/09/14

Version of the ANSI C63.19 standard used during the certification process: 2011

## Remarks

## Handset 23: Motorola Moto X (2nd) XT1096

### Handset Maker

Motorola

Handset Model Name	FCC ID
--------------------	--------

Moto X (2nd) XT1096	IHDT56QA2
---------------------	-----------

### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz CDMA  
850 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz CDMA  
1900 MHz WCDMA  
1900 MHz LTE  
2500 MHz LTE

### Dates

This handset model was offered from: 10/14 to 06/15

### Ratings

M-Rating: M4

M-Rating Certification Date: 09/02/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 09/02/14

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---

### Handset 24: Motorola Moto X (2nd) XT1097

#### Handset Maker

Motorola

#### Handset Model Name      FCC ID

Moto X (2nd) XT1097      IHDT56QA1

#### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
1700 MHz WCDMA  
1900 MHz GSM  
1900 MHz WCDMA

#### Dates

This handset model was offered from: 10/14 to 06/15

#### Ratings

M-Rating: M4

M-Rating Certification Date: 08/24/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 08/24/14

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---

## Handset 25: Motorola Moto X XT1049

### Handset Maker

Motorola

### Handset Model Name

### FCC ID

Moto X XT1049

IHDT56PB2

Moto X XT1056

IHDT56PB2

### Air Interfaces/Frequency Bands

800 MHz CDMA

850 MHz CDMA

1900 MHz CDMA

### Dates

This handset model was offered from: 07/14 to 12/14

### Ratings

M-Rating: M4

M-Rating Certification Date: 05/21/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 05/21/13

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

## Handset 26: Motorola Moto X XT1050

### Handset Maker

Motorola

### Handset Model Name

### FCC ID

Moto X XT1050

IHDT56PB1

Moto X XT1060

IHDT56PB1

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz CDMA

1900 MHz GSM

1900 MHz CDMA

### Dates

This handset model was offered from: 07/14 to 12/14

### Ratings

M-Rating: M3

M-Rating Certification Date: 05/24/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 05/24/13

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

---

### Handset 27: Motorola Moto X XT1053

#### Handset Maker

Motorola

#### Handset Model Name

Moto X XT1053

#### FCC ID

IHDT56PA2

#### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

#### Dates

This handset model was offered from: 07/14 to 06/15

#### Ratings

M-Rating: M3

M-Rating Certification Date: 07/26/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 07/26/13

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

## Handset 28: Motorola Moto X XT1055

### Handset Maker

Motorola

### Handset Model Name

Moto X XT1055

### FCC ID

IHDT56PB3

### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

### Dates

This handset model was offered from: 07/14 to 12/14

### Ratings

M-Rating: M4

M-Rating Certification Date: 06/18/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/18/13

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

---

## Handset 29: Motorola Moto X XT1058

### Handset Maker

Motorola

### Handset Model Name

Moto X XT1058

### FCC ID

IHDT56PA1

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

### Dates

This handset model was offered from: 07/14 to 06/15

### Ratings

M-Rating: M3

M-Rating Certification Date: 05/10/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 05/10/13

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

---

### Handset 30: Motorola Nexus 6 XT1100

#### Handset Maker

Motorola

#### Handset Model Name

#### FCC ID

Nexus 6 XT1100

IHDT56QD2

#### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

2.5 GHz LTE

#### Dates

This handset model was offered from: 10/14 to 06/15

#### Ratings

M-Rating: M4

M-Rating Certification Date: 10/24/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 10/24/14

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---



## Handset 31: Motorola Nexus 6 XT1103

### Handset Maker

Motorola

### Handset Model Name

Nexus 6 XT1103

### FCC ID

IHDT56QD1

### Air Interfaces/Frequency Bands

700 MHz LTE  
800 MHz CDMA  
800 MHz LTE  
850 MHz GSM  
850 MHz CDMA  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz WCDMA  
1700 MHz LTE  
1800 MHz LTE  
1900 MHz GSM  
1900 MHz CDMA  
1900 MHz WCDMA  
2.5 GHz LTE

### Dates

This handset model was offered from: 12/14 to 06/15

### Ratings

M-Rating: M4

M-Rating Certification Date: 10/24/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 10/24/14

Version of the ANSI C63.19 standard used during the certification process: 2011

### Remarks

## Handset 32: Motorola Razr D1

### Handset Maker

Motorola

### Handset Model Name

Razr D1

### FCC ID

IHDP56NE1

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA  
1900 MHz GSM  
1900 MHz WCDMA

#### Dates

This handset model was offered from: 07/14 to 12/14

#### Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

---

### Handset 33: Motorola RAZR D3 (XT919)

#### Handset Maker

Motorola

#### Handset Model Name

#### FCC ID

RAZR D3 (XT919)

IHDT56ND1

#### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
1900 MHz GSM  
1900 MHz WCDMA

#### Dates

This handset model was offered from: 07/14 to 12/14

#### Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

## Remarks

---

## Certification

### This Report has been certified by:

John Lewczak Distinguished Member of the Tech. Staff  
07/08/2015 02:46 PM